


QuMax for RUT955

P/N: A955M

INTEGRATED OUTDOOR MULTI BAND HIGH POWER LTE DIRECTIONAL ANTENNA + OUTDOOR WI-FI OMNI ANTENNA + GPS ANTENNA + PLACE TO INSTALL TELTONIKA RUT955 (ALL-IN-ONE)

QuMAX offers the most powerful directional LTE antenna of all QuWireless antennas. It is dedicated to connections with long distance to the base station. It is designed to have the Teltonika RUT955 router installed inside the IP67 enclosure. It is the first choice for fixed installations in the industrial environment. It also has embedded GPS and outdoor Wi-Fi omni antennas.



VERSION 1.01

OUTDOOR

Use Teltonika router wherever you want

ANTENNA

Maximize your signal with QuWireless antennas

SOLUTION

Plug Teltonika router and you are good to go

LTE SPECIFICATION

FREQUENCY	0.694-0.96 GHz 1.7 - 2.2 GHz 2.2 - 2.7 GHz
SUPPORTED LTE/5G BANDS	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 23, 25, 26, 27, 28, 29, 30, 33, 34, 35, 36, 37, 38, 39, 40, 41, 44, 53, 59, 62, 65, 66, 67, 68, 69, 85, n80, n81, n82, n83, n84, n86, n89, n90, n95
GAIN	0.694 - 0.96 GHz : 4 dBi 1.7 - 2.2 GHz : 5 dBi 2.2 - 2.7 GHz : 6 dBi
VSWR	<1.30, max <1.80
BEAMWIDTH	90°/90° +/- 30°
POLARIZATION	Vertical
IMPEDANCE	50 Ω


WI-FI SPECIFICATION

FREQUENCY	2.40-2.50 GHz
GAIN	6 dBi
VSWR	<1.70, max <2.00
BEAMWIDTH	360°/25° +/- 5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω


MECHANICAL SPECIFICATION

MATERIALS	ABS, aluminum, PTFE, FR4, Fiberglass
INGRESS PROTECTION	IP67
CONNECTOR TYPE	RJ45 + 2xNf + 2xNm in external omni wi-fi antenna
DIMENSIONS	272 x 276 x 96 mm 10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg 3.97 lbs
OPERATING TEMPERATURE	From -40°C to 75°C From -40°F to 167°F

VSWR for LTE antenna




VSWR for Wi-Fi antenna




PLOTS


700-900 MHz Azimuth




700-900 MHz Elevation




1710-2170 MHz Azimuth




1710-2170 MHz Elevation




2300-2700 MHz Azimuth




2300-2700 MHz Elevation



Wi-Fi Azimuth



Wi-Fi Elevation



DEVICE SPECIFICATION





Professional rugged Dual SIM 4G LTE & WiFi cellular router. Highly secure and reliable industrial device equipped with Ethernet, Digital & Analogue I/O, RS232, RS485, GNSS (GPS), microSD and USB interfaces.

[RUT955 Datasheet](#)

[RUT955 Quick Start Guide](#)

DIMENSIONS



HEADQUARTER:

Wireless Instruments sp. z o.o.

ul. Kościuszki 27

52-116 Iwiny

POLAND

sales@quwireless.com

tel 1. +48 601 366 369

tel 2. +48 577 667 761

www.quwireless.com